

Cyprus Thompson Creek

Post Office Box 62
Clayton, Idaho 83227
Telephone (208) 838-2200

July 12, 1988

RECEIVED
JUL 19 1988

WATER PERMITS & COMPLIANCE BRANCH
EPA - REGION 10

Chief, Water Compliance Section
EPA, Region 10, Mail Stop 513
1200 Sixth Avenue
Seattle, Washington 98101

Re: Thompson Creek NPDES Discharge Monitoring Reports for June
1988 and Second Quarter Report - 1988

Dear Sir or Madam:

Enclosed are the discharge monitoring reports for June 1988, for discharge points 001 and 002 from the Thompson Creek Mine. Also enclosed are the second quarter results from the same sources.

If you have any questions, please contact us.

Sincerely,

Bert Doughty
-for-

Bert Doughty
Supervisor
Environmental Affairs

BD:bw

CYPRUS

ATTACHMENT A*

June 1988

Turbidities on Thompson Creek

<u>DATE</u>	<u>STATION</u>	<u>TURBIDITY (NTU)</u>
6/16/88	TC-1	0.6
6/16/88	TC-2	0.5
6/16/88	TC-3	0.52
6/16/88	TC-4	0.55

RECEIVED
JUL 19 1988

WATER PERMITS & COMPLIANCE BRANCH
EPA - REGION 10

* When Buckskin isn't discharging